

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(interactive\$2 adj2 printed\$2) and not silvebrook\$2.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:39
S1	26	(interact\$5 adj2 print\$5 adj2 document\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 19:21
S2	311	(interactive\$2 adj2 printed\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:39
S3	311	(interactive\$2 adj2 printed\$2) not silvebrook\$2.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:43
S4	514	(interactive\$2 adj2 document\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:43
S5	50	(interactive\$2 adj2 document\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:53
S6	10	((("5717923") or ("5640193") or ("5748931") or ("5970231") or ("5995976"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 13:58
S7	1419	(printer\$5 with interactiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:01
S8	6	((("6330976") or ("6072871") or ("5513254"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 15:53
S9	61	("6330976").URPN.	USPAT	OR	ON	2005/11/30 14:03
S10	6	("5321396"   "5408076"   "5535063"   "5539665"   "5661506"   "5937110").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:15

S11	21	(printer\$5 with stylus adj2 pen)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:21
S12	121	(delivering\$5 same advertising\$5). clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:22
S13	0	(delivering\$5 same advertising\$5 same coded adj2 data).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:22
S14	3	(advertising\$5 same coded adj2 data).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:28
S15	3	(document\$5 adj2 print\$5 adj2 histor\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:31
S16	6	(document\$5 near4 print\$5 adj2 histor\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:35
S17	3	S16 not S15	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:32
S18	9	(document\$5 adj2 propert\$5 with histor\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:36
S19	22	(document\$5 adj2 propert\$5 same histor\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:37
S20	13	S19 not S18	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:37
S21	504	(document\$5 adj1 propert\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:38
S22	0	(document\$5 adj1 propert\$5) same print%5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:38
S23	56	(document\$5 adj1 propert\$5) same print\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:53
S24	2	("6411970").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 14:53

S25	12	("5043876"   "5467472"   "5537585"   "5664186"   "5680616"   "5748956"   "5911776"   "5931947"   "5940841"   "5974424"   "5987477"   "5991753").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:53
S26	6	(printer\$5 with on adj2 demand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:56
S27	9980	(printer\$5 with demand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:56
S28	6	(printer\$5 with on near2 demand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:57
S29	512	(printer\$5 with direct\$5 with demand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:57
S30	181	(printer\$5 with direct\$5 with demand\$5) with jet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:57
S31	115	S30 and @ad<"19991025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:45
S32	2	("6137590").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:20
S33	2	("6081261").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:25
S34	2	("6628847").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:25

S35	2	("6537324").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:31
S36	2	("5754308").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:43
S37	570	(document\$5 with coded adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:45
S38	0	(document\$5 with coded adj2 data) with print\$%	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:45
S39	156	(document\$5 with coded adj2 data) with print\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:45
S40	48	S39 and @ad<"19991025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:54
S41	2	("6072871").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:53
S42	100	interactive\$5 adj2 element\$5 with document\$5 and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:53
S43	8	S42 and @ad<"19991025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:58
S44	7	((("6081261") or ("5852434") or ("6628847") or ("6622917")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:59
S45	22	("6081261").URPN.	USPAT	OR	ON	2005/11/30 19:19

S46	3997	(358/1.1, 358/1.11-1.16).ccls.	USPAT	OR	ON	2005/11/30 19:19
-----	------	--------------------------------	-------	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(interactive\$2 adj2 printed\$2) and not silvebrook\$2.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:39
L1	311	(interactive\$2 adj2 printed\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:39
L2	311	(interactive\$2 adj2 printed\$2) not silvebrook\$2.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:43
L3	514	(interactive\$2 adj2 document\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:43
L4	50	(interactive\$2 adj2 document\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:53
L5	10	((("5717923") or ("5640193") or ("5748931") or ("5970231") or ("5995976"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 13:58
L6	1419	(printer\$5 with interactiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:01
L7	6	((("6330976") or ("6072871") or ("5513254"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 15:53
L8	61	("6330976").URPN.	USPAT	OR	ON	2005/11/30 14:03
L9	6	("5321396"   "5408076"   "5535063"   "5539665"   "5661506"   "5937110").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:15
L10	21	(printer\$5 with stylus adj2 pen)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:21

L11	121	(delivering\$5 same advertising\$5). clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:22
L12	0	(delivering\$5 same advertising\$5 same coded adj2 data).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:22
L13	3	(advertising\$5 same coded adj2 data).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:28
L14	3	(document\$5 adj2 print\$5 adj2 histor\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:31
L15	6	(document\$5 near4 print\$5 adj2 histor\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:35
L16	3	15 not 14	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:32
L17	9	(document\$5 adj2 propert\$5 with histor\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:36
L18	22	(document\$5 adj2 propert\$5 same histor\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:37
L19	13	18 not 17	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:37
L20	504	(document\$5 adj1 propert\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:38
L21	0	(document\$5 adj1 propert\$5) same print%5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:38
L22	56	(document\$5 adj1 propert\$5) same print\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:53
L23	2	("6411970").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 14:53
L24	12	("5043876"   "5467472"   "5537585"   "5664186"   "5680616"   "5748956"   "5911776"   "5931947"   "5940841"   "5974424"   "5987477"   "5991753").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 14:53

L25	6	(printer\$5 with on adj2 demand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:56
L26	9980	(printer\$5 with demand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:56
L27	6	(printer\$5 with on near2 demand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:57
L28	512	(printer\$5 with direct\$5 with demand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:57
L29	181	(printer\$5 with direct\$5 with demand\$5) with jet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:57
L30	115	29 and @ad<"19991025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:45
L31	2	("6137590").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:20
L32	2	("6081261").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:25
L33	2	("6628847").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:25
L34	2	("6537324").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:31



L35	2	("5754308").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 16:43
L36	570	(document\$5 with coded adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:45
L37	0	(document\$5 with coded adj2 data) with print\$%	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:45
L38	156	(document\$5 with coded adj2 data) with print\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 16:45
L39	48	38 and @ad<"19991025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:54
L40	2	("6072871").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:53
L41	100	interactive\$5 adj2 element\$5 with document\$5 and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:53
L42	8	41 and @ad<"19991025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 17:58
L43	7	((("6081261") or ("5852434") or ("6628847") or ("6622917")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:59
L44	22	("6081261").URPN.	USPAT	OR	ON	2005/11/30 19:19
L45	3997	(358/1.1, 358/1.11-1.16).cccls.	USPAT	OR	ON	2005/11/30 19:19

S1	26	(interact\$5 adj2 print\$5 adj2 document\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 19:21
----	----	---	---	----	----	------------------